Question					Prevalen Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else								17.3	20.8	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								41.0	40.6	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								14.5	14.5	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								19.8	20.6	No	
Percentage of students who carried a gun on one or more of the past 30 days								6.9	7.4	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								6.8	7.3	No	
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								9.8	9.3	No	

Question	Prevalence Survey Year									Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								10.4	11.7	No	
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								33.0	30.7	No	
Percentage of students who were in a physical fight one or more times during the past 12 months								34.3	33.4	No	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months								14.1	15.5	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								13.0	11.1	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								9.4	9.0	No	
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								36.9	30.7	Yes	

Question					Linear Change	Quadratic Change					
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who seriously considered attempting suicide during the past 12 months								22.3	14.5	Yes	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								18.0	12.3	Yes	
Percentage of students who actually attempted suicide one or more times during the past 12 months								16.9	9.6	Yes	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								5.8	4.1	No	

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs								59.3	56.2	No	
Percentage of students who smoked a whole cigarette for the first time before age 13 years								14.3	13.2	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days								19.5	19.0	No	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								4.8	5.2	No	
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days								7.3	8.2	No	
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days								10.9	11.4	No	
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days								4.6	3.7	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days								9.2	10.3	No	

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months								51.0	49.0	No	

Question					Prevaler Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								28.1	26.9	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								46.3	45.6	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								27.1	28.0	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								5.5	5.9	No	
Percentage of students who used marijuana one or more times during their life								36.0	35.5	No	
Percentage of students who tried marijuana for the first time before age 13 years								10.7	11.2	No	
Percentage of students who used marijuana one or more times during the past 30 days								15.7	16.3	No	
Percentage of students who used marijuana on school property one or more times during the past 30 days								4.8	3.6	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								12.2	10.8	No	

Question					Linear Change	Quadratic Change					
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days								4.7	5.2	No	
Percentage of students who used heroin one or more times during their life								3.1	4.7	No	
Percentage of students who used methamphetamines one or more times during their life								11.2	9.0	No	
Percentage of students who used ecstasy one or more times during their life								6.2	8.7	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								5.5	5.5	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life								3.2	4.1	No	
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								37.6	33.0	Yes	

Question					Linear Change	Quadratic Change					
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Sexual Behaviors											
Percentage of students who ever had sexual intercourse								44.1	47.1	No	
Percentage of students who had sexual intercourse for the first time before age 13 years								6.5	5.4	No	
Percentage of students who had sexual intercourse with four or more people during their life								13.5	12.9	No	
Percentage of students who had sexual intercourse with one or more people during the past three months								31.7	33.1	No	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse								20.8	24.4	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse								53.4	51.0	No	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse								7.8	11.5	No	
Percentage of students who had ever been taught in school about AIDS or HIV infection								75.8	81.1	No	

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								15.9	18.0	No	
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**								19.6	16.9	No	
Percentage of students who described themselves as slightly or very overweight								34.4	34.4	No	
Percentage of students who were trying to lose weight								52.8	51.3	No	
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days								64.4	63.4	No	
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days								44.2	40.6	No	
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days								14.5	13.3	No	

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days								7.7	7.7	No	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days								8.4	8.4	No	
Percentage of students who drank 100% fruit juices one or more times during the past seven days								75.3	76.2	No	
Percentage of students who ate fruit one or more times during the past seven days								84.1	85.9	No	
Percentage of students who ate green salad one or more times during the past seven days								58.4	57.4	No	
Percentage of students who ate potatoes one or more times during the past seven days								62.8	61.5	No	
Percentage of students who ate carrots one or more times during the past seven days								45.9	48.3	No	
Percentage of students who ate other vegetables one or more times during the past seven days								77.8	74.4	Yes	

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days								18.3	18.8	No	

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								32.1	30.0	No	
Percentage of students who watched three or more hours per day of TV on an average school day								40.5	32.8	Yes	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day								14.7	20.1	Yes	
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school								48.7	46.0	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school								42.2	32.9	No	
Percentage of students who played on one or more sports teams during the past 12 months								46.0	43.9	No	

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Other											
Percentage of students who had ever been told by a doctor or nurse that they had asthma								18.9	17.4	No	

Question					Linear Change	Quadratic Change					
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else								20.4	24.9	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								41.4	40.9	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								19.3	18.7	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								30.7	33.6	No	
Percentage of students who carried a gun on one or more of the past 30 days								11.5	13.0	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								10.2	11.7	No	
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								10.6	10.8	No	

Question					Linear Change	Quadratic Change					
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								14.2	16.6	No	
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								38.4	33.2	No	
Percentage of students who were in a physical fight one or more times during the past 12 months								42.5	41.9	No	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months								19.4	20.0	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								14.7	12.8	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								7.1	6.9	No	
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								25.5	20.0	No	

Question					Linear Change	Quadratic Change					
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who seriously considered attempting suicide during the past 12 months								13.2	11.6	No	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								11.8	9.6	No	
Percentage of students who actually attempted suicide one or more times during the past 12 months								11.4	8.4	No	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								3.9	3.9	No	

Question					Linear Change	Quadratic Change					
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs								62.8	60.5	No	
Percentage of students who smoked a whole cigarette for the first time before age 13 years								18.9	16.1	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days								23.7	23.2	No	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								6.6	8.0	No	
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days								11.0	13.7	No	
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days								13.1	11.0	No	
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days								6.2	5.9	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days								10.9	13.0	No	

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months								51.5	48.5	No	

Question					Linear Change	Quadratic Change					
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								34.3	32.2	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								45.1	46.3	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								28.6	31.1	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								6.2	7.3	No	
Percentage of students who used marijuana one or more times during their life								39.4	40.5	No	
Percentage of students who tried marijuana for the first time before age 13 years								14.3	15.7	No	
Percentage of students who used marijuana one or more times during the past 30 days								19.2	20.7	No	
Percentage of students who used marijuana on school property one or more times during the past 30 days								6.0	5.1	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								13.5	15.2	No	

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days								6.7	7.1	No	
Percentage of students who used heroin one or more times during their life								4.5	6.9	No	
Percentage of students who used methamphetamines one or more times during their life								11.4	11.9	No	
Percentage of students who used ecstasy one or more times during their life								8.0	12.7	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								5.8	7.4	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life								4.5	5.8	No	
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								41.7	37.6	No	

Question	Prevalence Survey Year									Linear Change	Quadratic Change
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Sexual Behaviors											
Percentage of students who ever had sexual intercourse								49.3	51.4	No	
Percentage of students who had sexual intercourse for the first time before age 13 years								9.9	9.0	No	
Percentage of students who had sexual intercourse with four or more people during their life								20.4	17.9	No	
Percentage of students who had sexual intercourse with one or more people during the past three months								33.3	34.0	No	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse								26.9	27.0	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse								62.4	52.4	No	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse								7.3	9.7	No	
Percentage of students who had ever been taught in school about AIDS or HIV infection								72.4	80.4	Yes	

Question					Linear Change	Quadratic Change					
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								15.0	17.5	No	
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**								25.4	22.5	No	
Percentage of students who described themselves as slightly or very overweight								28.5	31.7	No	
Percentage of students who were trying to lose weight								40.3	40.3	No	
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days								60.3	59.2	No	
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days								34.8	32.0	No	
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days								10.6	10.3	No	

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question	Prevalence Survey Year									Linear Change	Quadratic Change
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days								6.9	8.1	No	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days								6.4	8.0	No	
Percentage of students who drank 100% fruit juices one or more times during the past seven days								76.1	76.9	No	
Percentage of students who ate fruit one or more times during the past seven days								84.4	82.9	No	
Percentage of students who ate green salad one or more times during the past seven days								54.4	53.7	No	
Percentage of students who ate potatoes one or more times during the past seven days								65.9	65.1	No	
Percentage of students who ate carrots one or more times during the past seven days								46.3	47.9	No	
Percentage of students who ate other vegetables one or more times during the past seven days								77.2	69.7	Yes	

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question				S		Linear Change	Quadratic Change				
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days								19.4	20.6	No	

Ouestion				S		Linear Change	Quadratic Change				
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007	9	8
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								37.8	36.8	No	
Percentage of students who watched three or more hours per day of TV on an average school day								38.6	29.0	Yes	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day								17.4	22.0	No	
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school								56.6	53.3	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school								46.8	37.4	No	
Percentage of students who played on one or more sports teams during the past 12 months								51.1	52.9	No	

Question					Prevalen Survey Y					Linear Change	Quadratic Change
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Other											
Percentage of students who had ever been told by a doctor or nurse that they had asthma								20.2	18.8	No	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else								13.7	16.6	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								40.4	40.2	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								9.5	10.0	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								8.8	7.7	No	
Percentage of students who carried a gun on one or more of the past 30 days								2.4	1.8	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								3.1	3.1	No	
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								8.6	7.8	No	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								6.1	6.6	No	
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								27.4	28.2	No	
Percentage of students who were in a physical fight one or more times during the past 12 months								25.8	24.7	No	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months								8.7	11.1	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								11.2	9.4	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								11.7	11.0	No	
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								48.6	41.2	Yes	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who seriously considered attempting suicide during the past 12 months								31.7	17.4	Yes	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								24.4	14.9	Yes	
Percentage of students who actually attempted suicide one or more times during the past 12 months								22.0	10.7	Yes	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								7.3	4.2	Yes	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs								55.7	52.2	No	
Percentage of students who smoked a whole cigarette for the first time before age 13 years								9.5	10.4	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days								15.3	15.0	No	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								3.0	2.5	No	
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days								1.6	0.1	Yes	
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days								3.1	1.5	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days								7.4	7.6	No	
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months								50.4	49.9	No	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								21.4	21.6	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								47.8	44.8	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								25.7	25.0	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								4.7	4.5	No	
Percentage of students who used marijuana one or more times during their life								32.5	30.7	No	
Percentage of students who tried marijuana for the first time before age 13 years								6.7	6.6	No	
Percentage of students who used marijuana one or more times during the past 30 days								12.2	12.2	No	
Percentage of students who used marijuana on school property one or more times during the past 30 days								3.6	2.2	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								10.7	6.3	Yes	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days								2.7	3.4	No	
Percentage of students who used heroin one or more times during their life								1.7	2.5	No	
Percentage of students who used methamphetamines one or more times during their life								10.8	6.2	Yes	
Percentage of students who used ecstasy one or more times during their life								4.2	4.6	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								5.0	3.5	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life								1.9	2.4	No	
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								33.5	28.5	No	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Sexual Behaviors											
Percentage of students who ever had sexual intercourse								39.2	42.9	No	
Percentage of students who had sexual intercourse for the first time before age 13 years								3.2	2.0	No	
Percentage of students who had sexual intercourse with four or more people during their life								6.9	8.0	No	
Percentage of students who had sexual intercourse with one or more people during the past three months								30.2	32.3	No	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse								14.3	21.8	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse								44.1	49.5	No	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse								8.4	13.3	No	
Percentage of students who had ever been taught in school about AIDS or HIV infection								79.2	81.9	No	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								16.8	18.5	No	
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**								13.4	10.6	No	
Percentage of students who described themselves as slightly or very overweight								40.4	37.2	No	
Percentage of students who were trying to lose weight								65.6	62.5	No	
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days								68.7	67.5	No	
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days								53.8	49.2	No	
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days								18.4	16.3	No	

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days								8.6	7.2	No	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days								10.5	8.7	No	
Percentage of students who drank 100% fruit juices one or more times during the past seven days								74.6	75.4	No	
Percentage of students who ate fruit one or more times during the past seven days								84.3	89.0	Yes	
Percentage of students who ate green salad one or more times during the past seven days								62.5	61.2	No	
Percentage of students who ate potatoes one or more times during the past seven days								59.6	57.9	No	
Percentage of students who ate carrots one or more times during the past seven days								45.4	48.7	No	
Percentage of students who ate other vegetables one or more times during the past seven days								78.5	79.2	No	

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question				S		Linear Change	Quadratic Change				
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days								17.4	16.9	No	

Question					Linear Change	Quadratic Change					
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								26.5	23.4	No	
Percentage of students who watched three or more hours per day of TV on an average school day								42.6	36.4	No	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day								12.1	18.2	Yes	
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school								41.6	38.8	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school								38.1	28.6	No	
Percentage of students who played on one or more sports teams during the past 12 months								41.1	35.1	No	

Question				Linear Change	Quadratic Change						
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Other											
Percentage of students who had ever been told by a doctor or nurse that they had asthma								17.5	16.1	No	

Question					Linear Change	Quadratic Change					
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else								10.2	17.3	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								30.4	30.7	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								12.4	13.1	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								22.6	27.7	No	
Percentage of students who carried a gun on one or more of the past 30 days								5.0	6.9	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								6.1	8.0	No	
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								4.3	2.3	No	

^{*}Non-Hispanic.

Question					Linear Change	Quadratic Change					
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								10.2	13.1	No	
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								38.2	39.9	No	
Percentage of students who were in a physical fight one or more times during the past 12 months								31.2	30.2	No	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months								13.3	14.9	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								10.0	10.9	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								12.2	7.7	No	
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								35.4	21.2	Yes	

^{*}Non-Hispanic.

Question					Linear Change	Quadratic Change					
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who seriously considered attempting suicide during the past 12 months								25.6	15.5	Yes	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								19.7	11.6	Yes	
Percentage of students who actually attempted suicide one or more times during the past 12 months								14.4	7.1	Yes	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								6.6	1.9	No	

^{*}Non-Hispanic.

Question	Prevalence Survey Year									Linear Change	Quadratic Change
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs								58.7	50.2	No	
Percentage of students who smoked a whole cigarette for the first time before age 13 years								19.6	13.6	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days								22.4	18.1	No	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								11.2	6.6	Yes	
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days								7.0	2.9	Yes	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days								21.3	17.3	No	

^{*}Non-Hispanic.

Question					Linear Change	Quadratic Change					
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								29.3	24.2	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								47.6	40.8	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								23.5	30.0	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								6.2	3.8	No	
Percentage of students who used marijuana one or more times during their life								42.7	37.0	No	
Percentage of students who tried marijuana for the first time before age 13 years								12.6	10.8	No	
Percentage of students who used marijuana one or more times during the past 30 days								19.2	17.5	No	
Percentage of students who used marijuana on school property one or more times during the past 30 days								5.8	1.8	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								14.3	10.4	No	

^{*}Non-Hispanic.

Question					Linear Change	Quadratic Change					
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days								5.5	3.9	No	
Percentage of students who used heroin one or more times during their life								5.1	2.6	No	
Percentage of students who used methamphetamines one or more times during their life								13.4	9.2	No	
Percentage of students who used ecstasy one or more times during their life								8.2	11.5	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								5.5	2.5	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life								5.0	2.3	No	
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								42.3	34.8	No	

^{*}Non-Hispanic.

Question					Linear Change	Quadratic Change					
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Sexual Behaviors											
Percentage of students who ever had sexual intercourse								43.1	50.8	No	
Percentage of students who had sexual intercourse for the first time before age 13 years								9.6	4.5	Yes	
Percentage of students who had sexual intercourse with four or more people during their life								15.6	14.2	No	
Percentage of students who had sexual intercourse with one or more people during the past three months								31.8	35.4	No	
Percentage of students who had ever been taught in school about AIDS or HIV infection								87.3	86.8	No	

^{*}Non-Hispanic.

Question					Linear Change	Quadratic Change					
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								11.1	18.3	Yes	
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**								12.5	11.7	No	
Percentage of students who described themselves as slightly or very overweight								35.7	30.9	No	
Percentage of students who were trying to lose weight								53.2	44.7	No	
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days								68.9	60.7	No	
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days								45.4	39.0	No	
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days								14.7	14.6	No	

^{*}Non-Hispanic.

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question					Prevalen Survey Y					Linear Change	Quadratic Change
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days								7.9	4.7	No	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days								7.0	6.3	No	
Percentage of students who drank 100% fruit juices one or more times during the past seven days								74.8	73.5	No	
Percentage of students who ate fruit one or more times during the past seven days								80.4	80.7	No	
Percentage of students who ate green salad one or more times during the past seven days								62.3	59.8	No	
Percentage of students who ate potatoes one or more times during the past seven days								63.2	64.8	No	
Percentage of students who ate carrots one or more times during the past seven days								52.4	49.2	No	
Percentage of students who ate other vegetables one or more times during the past seven days								82.9	75.1	No	

^{*}Non-Hispanic.

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question				S	Linear Change	Quadratic Change			
White*	1991	1993	1995						
Weight Management and Dietary Behaviors									
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days						13.5	16.0	No	

Question					Linear Change	Quadratic Change					
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								45.3	43.1	No	
Percentage of students who watched three or more hours per day of TV on an average school day								28.5	21.8	No	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day								20.9	22.4	No	
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school								49.5	48.5	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school								44.3	38.3	No	
Percentage of students who played on one or more sports teams during the past 12 months								59.3	49.4	No	

^{*}Non-Hispanic.

Question					Prevalen urvey Y					Linear Change	Quadratic Change
White*	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Other											
Percentage of students who had ever been told by a doctor or nurse that they had asthma								26.7	20.1	No	

Question					Linear Change	Quadratic Change					
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else								18.3	21.7	No	
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol								43.3	43.3	No	
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol								15.0	14.6	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days								18.6	18.4	No	
Percentage of students who carried a gun on one or more of the past 30 days								7.0	7.1	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days								6.7	6.9	No	
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school								10.5	10.9	No	

Question					Linear Change	Quadratic Change					
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months								10.0	11.1	No	
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								31.1	28.2	No	
Percentage of students who were in a physical fight one or more times during the past 12 months								34.7	33.7	No	
Percentage of students who were in a physical fight on school property one or more times during the past 12 months								14.2	15.2	No	
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months								13.0	10.8	No	
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to								8.7	9.0	No	
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months								37.1	33.1	Yes	

Question				Linear Change	Quadratic Change						
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Injury and Violence											
Percentage of students who seriously considered attempting suicide during the past 12 months								21.7	14.2	Yes	
Percentage of students who made a plan about how they would attempt suicide during the past 12 months								17.2	12.4	Yes	
Percentage of students who actually attempted suicide one or more times during the past 12 months								17.4	9.9	Yes	
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse								5.1	4.5	No	

Question	Prevalence Survey Year									Linear Change	Quadratic Change
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs								59.5	57.8	No	
Percentage of students who smoked a whole cigarette for the first time before age 13 years								13.3	12.4	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days								18.7	18.9	No	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days								3.1	4.5	No	
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days								5.2	8.3	No	
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days								10.3	12.9	No	
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days								4.0	3.8	No	
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days								6.3	8.0	No	

Question				S	Linear Change	Quadratic Change					
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months								50.0	49.9	No	

Question					Linear Change	Quadratic Change					
Hispanic/Latino	1991	1993	1995	1997	Survey Y 1999	2001	2003	2005	2007		Ü
Alcohol and Other Drug Use											
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years								27.5	27.4	No	
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days								46.2	46.8	No	
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days								28.3	26.9	No	
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days								5.4	5.9	No	
Percentage of students who used marijuana one or more times during their life								33.9	34.2	No	
Percentage of students who tried marijuana for the first time before age 13 years								9.7	10.3	No	
Percentage of students who used marijuana one or more times during the past 30 days								14.6	15.2	No	
Percentage of students who used marijuana on school property one or more times during the past 30 days								4.6	3.6	No	
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life								12.2	10.8	No	

Question					Linear Change	Quadratic Change					
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days								4.6	5.5	No	
Percentage of students who used heroin one or more times during their life								2.6	4.9	Yes	
Percentage of students who used methamphetamines one or more times during their life								11.0	8.5	No	
Percentage of students who used ecstasy one or more times during their life								5.5	7.5	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life								5.4	5.6	No	
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life								2.7	3.9	No	
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months								35.7	32.4	No	

Question				S		Linear Change	Quadratic Change				
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Sexual Behaviors											
Percentage of students who ever had sexual intercourse								44.2	46.3	No	
Percentage of students who had sexual intercourse for the first time before age 13 years								5.6	5.5	No	
Percentage of students who had sexual intercourse with four or more people during their life								13.0	12.2	No	
Percentage of students who had sexual intercourse with one or more people during the past three months								31.9	32.5	No	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse								19.6	21.0	No	
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse								54.7	50.4	No	
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse								5.6	7.8	No	
Percentage of students who had ever been taught in school about AIDS or HIV infection								73.0	80.0	Yes	

Question					Linear Change	Quadratic Change					
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**								16.6	18.2	No	
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**								20.8	18.2	No	
Percentage of students who described themselves as slightly or very overweight								34.2	35.7	No	
Percentage of students who were trying to lose weight								53.4	53.3	No	
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days								64.6	64.0	No	
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days								44.6	41.2	No	
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days								13.8	12.9	No	

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question			Linear Change	Quadratic Change							
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days								7.3	8.1	No	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days								8.3	8.8	No	
Percentage of students who drank 100% fruit juices one or more times during the past seven days								76.0	76.9	No	
Percentage of students who ate fruit one or more times during the past seven days								85.6	87.2	No	
Percentage of students who ate green salad one or more times during the past seven days								58.0	56.7	No	
Percentage of students who ate potatoes one or more times during the past seven days								63.0	60.5	No	
Percentage of students who ate carrots one or more times during the past seven days								44.7	48.2	No	
Percentage of students who ate other vegetables one or more times during the past seven days								77.8	73.4	Yes	

^{**}Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

Question				Linear Change	Quadratic Change						
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days								19.1	19.5	No	

Question				Linear Change	Quadratic Change						
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								30.0	26.9	No	
Percentage of students who watched three or more hours per day of TV on an average school day								42.7	35.7	Yes	
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day								12.5	18.5	Yes	
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school								47.8	45.1	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school								41.4	31.6	Yes	
Percentage of students who played on one or more sports teams during the past 12 months								42.9	42.5	No	

Question		Prevalence Survey Year									Quadratic Change
Hispanic/Latino	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Other											
Percentage of students who had ever been told by a doctor or nurse that they had asthma								16.5	16.3	No	